CUP WIDTH

92 mm 3.622 in

RDI PATENTED

Lighted Ring Under Lip Plastic Beverage Holders

RDI RESEARCH & DESIGN INNOVATIONS

LIP WIDTH		HEIGHT		BODY MATERIAL				LIP MATERIAL			STEPS		COLORS				LIGHT LOCATION	GASKET	DRAIN	PAD	INSERT	RELATED CUP ID NO.	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	Plastic	Acryllic	304 SST	316 SST	Plastic	1-Step	2-Step	RGB	Blue	Red	White							
118	4.6	83	3.3			●				●		●		●			Ring Under Lip		●	●			**33100**
118	4.6	83	3.3			●				●		●			●		Ring Under Lip		●	●			**33200**
118	4.6	83	3.3			●				●		●				●	Ring Under Lip		●	●			**33300**

CUP WIDTH

92 mm 3.622 in

RDI PATENTED

Lighted Ring Under Lip SST Beverage Holders

LIP WIDTH		HEIGHT		BODY MATERIAL				LIP MATERIAL			STEPS		COLORS				LIGHT LOCATION	GASKET	DRAIN	PAD	INSERT	RELATED CUP ID NO.	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	Plastic	Acryllic	304 SST	316 SST	Plastic	1-Step	2-Step	RGB	Blue	Red	White							
113	4.4	77	3.0	●				●				●		●			Ring Under Lip	●	●	●		21018	**42100**
113	4.4	77	3.0	●				●				●				●	Ring Under Lip	●	●	●		21018	**42300**
113	4.4	77	3.0	●				●				●	●				Ring Under Lip	●	●	●		21018	**42700**
				●				●				●	●				Ring Under Lip	3mm	●	●		21018	**41867**
				●				●				●	RGBW				Ring Under Lip	3mm	●	●		21018	**240403**

*tapered cup | **shallow cup | † wide lip | ◊ harness

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

CUP WIDTH

92 mm
3.622 in

RDI PATENTED

Lighted Ring Under Lip Acrylic Beverage Holders

RDI RESEARCH & DESIGN INNOVATIONS

LIP WIDTH		HEIGHT		BODY MATERIAL				LIP MATERIAL			STEPS		COLORS				LIGHT LOCATION	GASKET	DRAIN	PAD	INSERT	RELATED CUP ID NO.	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	Plastic	Acryllic	304 SST	316 SST	Plastic	1-Step	2-Step	RGB	Blue	Red	White							
118	4.6	83	3.3				●	●				●		●			Ring Under Lip		●	●	●		45100
118	4.6	83	3.3				●	●				●				●	Ring Under Lip		●	●	●		45300
118	4.6	83	3.3				●	●				●	●				Ring Under Lip		●	●	●		45700
118	4.6	83	3.3				●	●				●	RGBWW 24V				Ring Under Lip		●	●	●		45824

CUP WIDTH

92 mm
3.662 in

Lighted Internal First-Step Ring Plastic Beverage Holders

LIP WIDTH		HEIGHT		BODY MATERIAL				LIP MATERIAL			STEPS		COLORS				LIGHT LOCATION	GASKET	DRAIN	PAD	INSERT	RELATED CUP ID NO.	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	White* Plastic	Acryllic	304 SST	316 SST	Plastic	1-Step	2-Step	RGB	Blue	Red	White							
107	4.2	80	3.1			●		●				●		●			Outside Ring		●	●			61005◊
107	4.2	80	3.1			●		●				●	●				Outside Ring		●	●			61005.7◊

***NOTE:** Off-white plastic that allows light to pass through to illuminate the cup.

*tapered cup | **shallow cup | † wide lip | ◊ harness


FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM


Product Example

Lighted Beverage Holders

RESEARCH & DESIGN INNOVATIONS

Lighted Ring Under Lip Plastic Beverage Holders











GREEN



GOLD




RED



WHITE

33000



45000



CUP WIDTH

92 mm
3.622 in

Lighted Cups SST Beverage Holder

RDI RESEARCH & DESIGN INNOVATIONS

LIP WIDTH		HEIGHT		BODY MATERIAL				LIP MATERIAL			STEPS		COLORS				LIGHT LOCATION	GASKET	DRAIN	PAD	INSERT	RELATED CUP ID NO.	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	Plastic	Acryllic	304 SST	316 SST	Plastic	1-Step	2-Step	RGB	Blue	Red	White							
107	4.2	77	3.0		●				●			●		●			Single Bulb Inside Wall		●	●		21014	31014
107	4.2	81	3.2	●				●				●		●			Single Bulb Inside Wall		●	●		21021	31021*
107	4.2	57	2.2		●				●			●		●			Smooth Light (Springs) 1st Step		●	●		21024	31024
107	4.2	83	3.3	●				●				●	●				Internal Light Ring		●	●		21016	31167
107	4.2	83	3.3	●				●				●	●				Smooth Light Internal Light Ring		●	●		21016	31167R
107	4.2	57	2.2	●				●			●						Smooth Light Internal Light Ring		●	●	●	21009	2352519**





*tapered cup | **shallow cup | † wide lip | ◊ harness

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

CUP WIDTH

107 mm 4.2 in

RDI PATENTED


Lighted Ratchet-Locking Plastic Beverage Holder


RDI RESEARCH & DESIGN INNOVATIONS


LIP WIDTH		HEIGHT		BODY MATERIAL				LIP MATERIAL			STEPS		COLORS				LIGHT LOCATION	GASKET	DRAIN	PAD	INSERT	RELATED CUP ID NO.	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	Plastic	Acryllic	304 SST	316 SST	Plastic	1-Step	2-Step	RGB	Blue	Red	White							
121	4.75	90	3.5			●		●				●	●				Ring Under Lip		●	●	●		55700


DESCRIPTION

- Comes with molded-in deutsch connector
- Self-locking ratchet for easy installation










*tapered cup | **shallow cup | † wide lip | ◊ harness

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

92 mm
3.622 in

Unlighted SST Beverage Holder

RESEARCH & DESIGN INNOVATIONS





LIP WIDTH		CUP HEIGHT		BODY MATERIAL		STEPS		GASKET	DRAIN	PAD	INSERT	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	1-Step	2-Step					
107	4.2	83	3.3	●			●		●	●		21016
107	4.2	83	3.3	●			●	●	●	●		21016.1
107	4.2	83	3.3	●		77mm	●		●	●		21016.3
107	4.2	57	2.3	●		●			hole	●		21009**
107	4.2	57	2.3	●		●		●	hole	●		21009.1**
107	4.2	57	2.3	●		●		●	plastic	●		21009.2**
107	4.2	57	2.3	●		●			hole	●	●	21009.3**
107	4.2	77	3.0	●			●	●	●	●		21020*
107	4.2	77	3.0		●		●		●	●		21014
107	4.2	77	3.0		●		●	●	●	●		21014.1
107	4.2	83	3.3	●			●	●				21001
107	4.2	83	3.3	●			●	●	9.525 mm 0.375 in			21001.1
113	4.4	83	3.3	●			●		●	●		21018†
113	4.4	83	3.3	●			●	●	●	●		21018.1†
107	4.2	77	3.0		●	●	●		●	●		21024LØ
107	4.2	83	3.3	●			●		hole	●	●	21026


*tapered cup | **shallow cup | †wide lip | Ø 2 spring locks

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

93.2 mm
3.669 in

Unlighted SST Beverage Holder


RESEARCH & DESIGN INNOVATIONS



LIP WIDTH		CUP HEIGHT		BODY MATERIAL		STEPS		GASKET	DRAIN	PAD	INSERT	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	1-Step	2-Step					
107	4.2	83	3.3	●			●		●	●		21010
107	4.2	83	3.3	●			●		hole			21010.1
107	4.2	83	3.3	●		●				●		21012

95 mm
3.74 in

Unlighted SST Beverage Holder



LIP WIDTH		CUP HEIGHT		BODY MATERIAL		STEPS		GASKET	DRAIN	PAD	INSERT	ID NO.
mm.	in.	mm.	in.	304 SST	316 SST	1-Step	2-Step					
113	4.4	83	3.3	●			●		●	●		21007
113	4.4	83	3.3	●			●	●	●	●		21007.1
113	4.4	83	3.3	●		77mm	●		●	●		21007.3
107	4.2	83	3.3	●			●		●	●		21008
107	4.2	83	3.3	●			●	●	●	●		21008.1

*tapered cup | **shallow cup | †wide lip | Ø 2 spring locks


FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

SPECIALTY SIZE


Wide

Unlighted SST Beverage Holder

RESEARCH & DESIGN INNOVATIONS



CUP WIDTH	LIP WIDTH mm.	LIP WIDTH in.	CUP HEIGHT mm.	CUP HEIGHT in.	BODY MATERIAL 304 SST	BODY MATERIAL 316 SST	STEPS 1-Step	STEPS 2-Step	GASKET	DRAIN	PAD	INSERT	ID NO.
101.6 mm 4.0 in.	113	4.4	90	3.5	●			●	●	●	●	●	21425
107 mm 4.2 in.	121	4.75	90	3.5	●			●	●	●	●	●	21425.1




DESCRIPTION

- Holds oversized tumblers and bottles
- Black inner membrane prevents rattling
- ● Big insert sold separately

SPECIALTY SIZE

85 mm
3.35 in

Unlighted Beverage Holder



LIP WIDTH mm.	LIP WIDTH in.	CUP HEIGHT mm.	CUP HEIGHT in.	BODY MATERIAL 304 SST	BODY MATERIAL 316 SST	STEPS 1-Step	STEPS 2-Step	GASKET	DRAIN	PAD	INSERT	ID NO.
94	3.7	64.5	2.5	●		●			Drain Hole	●		21013
94	3.7	64.5	2.5	●		●		●	●	●		21013WD



DESCRIPTION

- Short small cup

*tapered cup | **shallow cup | †wide lip | Ø 2 spring locks


FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

SPECIALTY SIZE

Plastic with SST Trim Rings

Unlighted Beverage Holder

RESEARCH & DESIGN INNOVATIONS



CUP WIDTH (HOLE)	LIP WIDTH mm.	LIP WIDTH in.	CUP HEIGHT mm.	CUP HEIGHT in.	BODY MATERIAL 304 SST	BODY MATERIAL CLEAR PLASTIC	STEPS 1-Step	STEPS 2-Step	GASKET	DRAIN	PAD	INSERT	ID NO.
92mm	107	4.2	83	3.3	Plastic with SS Cap			●		●	●		61008
PART 61008 + 33800 INSERT													
	107	4.2	83	3.3	Plastic with SS Cap			●		●	●	●	55893A
95mm	107	4.2	83	3.3	Plastic with SS Cap			●		●	●		61011
	107	4.2	83	3.3		●		●		●			63008





DESCRIPTION

- Body material is UV-enhanced, injection molded plastic

*tapered cup | **shallow cup | †wide lip | Ø 2 spring locks


FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM


SPECIALTY SIZE


For Beverages with Handles


Unlighted Beverage Holder

RESEARCH & DESIGN INNOVATIONS










BODY MATERIAL		STEPS		GASKET	DRAIN	PAD	INSERT	ID NO.
304 SST	316 SST	1-Step	2-Step					
	●							410001S
	●							410002S

DESCRIPTION

- Caulking groove
- Mounting point for fixed attachment
- Threaded base for hidden and secure mounting
- No sharp edges
- Ball-style caps on rings



BODY MATERIAL		STEPS		PAD	DRAIN	ID NO.
304 SST	316 SST	1-Step	2-Step			
Cap			●	●	• Standard drain: 9.525mm/ 3/8" hose • 15.875mm/ 5/8" hose attachment	61010

DESCRIPTION

- 25.4mm/ 1" reinforced wall below stainless steel lip

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Additional Accessories

For Lighted & Unlighted Beverage Holders

RESEARCH & DESIGN INNOVATIONS



ID NO.	DESCRIPTION
22001	90 degree plastic attachment for drain system



ID NO.	DESCRIPTION
22002	3/8 inch hose barb for drain




ID NO.	DESCRIPTION
22003	Closed Cap of Drain-No Hole



ID NO.	DESCRIPTION
22004	Black Pad for 1016(HS)



ID NO.	DESCRIPTION
22005	Gasket for 1014(HS)



ID NO.	DESCRIPTION
22006	Black Pad* for 1009




ID NO.	DESCRIPTION
22007	3M tape for 33600



ID NO.	DESCRIPTION
22008	3 way Hose Drain attachment



ID NO.	DESCRIPTION
22009	Plug, nut & 5/8" Cap



ID NO.	DESCRIPTION
33600	304 Polished SST Trim Ring fits on 33000, 45000, and 55000 series

Additional Accessories

For Lighted & Unlighted Beverage Holders

RESEARCH & DESIGN INNOVATIONS



ID NO.	DESCRIPTION
33700	Silicone Insert Full Body w 4 Tabs 2 steps insert with bottom. Fits on 33000, 45000, and 55700 series plastic cup holders and LED lighted plastic cup holders.



ID NO.	DESCRIPTION
33700N	Silicone Insert, open bottom w 4 tabs. Fits on 33000, 45000, and 55000 series.



ID NO.	DESCRIPTION
33703	Cloudy clear white Silicone Insert, open bottom w 4 tabs. Used with 63008 clear plastic cupholder



ID NO.	DESCRIPTION
33800	Black silicon insert. Open bottom design. Used with 61008.



ID NO.	DESCRIPTION
33900	Full form silicon insert. Open bottom design. For use on 92 mm, 2-step SST cups and 21016, 21014 cups.



ID NO.	DESCRIPTION
99001R	Fixed-locking ring with different depth locking fingers. For 92mm BH.



ID NO.	DESCRIPTION
990095	Fixed-locking ring with different depth locking fingers. For 95mm BH.

90° Push-In Courtesy Light

RDI PATENTED


RDI RESEARCH & DESIGN INNOVATIONS

INSTALLATION HOLE SIZE		WIDTH		HEIGHT		CONNECTION			MATERIAL		COLORS			WHITE UV-RES. GASKET	ID NO.
mm.	in.	mm.	in.	mm.	in.	Wire-90°	Wire Harness	Molded-In Deutsch Connector	Top	Lens	RGB	Blue	White		
15.875	0.625	3.5	0.1397	19	0.75	●			SST	Clear	●				51007
15.875	0.625	3.5	0.1397	19	0.75	●			SST	Clear			●		52007

DESCRIPTION

Push-In courtesy light includes locking ring.





FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Bulkhead

Courtesy Light


RESEARCH & DESIGN INNOVATIONS


INSTALLATION HOLE SIZE		WIDTH		HEIGHT		CONNECTION			MATERIAL		COLORS			WHITE UV-RES. GASKET	ID NO.
mm.	in.	mm.	in.	mm.	in.	Wire-90°	Wire Harness	Molded-In Deutsch Connector	Top	Lens	RGB	Blue	White		
23	1.0	8.9	0.35	33	1.3		●	●	SST	Clear	●			●	51009
23	1.0	8.9	0.35	33	1.3		●	●	SST	Clear			●	●	52009


DESCRIPTION


Examples shown below use Molded-In Deutsch Connector.














FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Round Head

Courtesy Light


RDI PATENTED


RDI RESEARCH & DESIGN INNOVATIONS


INSTALLATION HOLE SIZE		WIDTH		HEIGHT		CONNECTION			MATERIAL		COLORS			WHITE UV-RES. GASKET	ID NO.
mm.	in.	mm.	in.	mm.	in.	Wire-90°	Wire Harness	Molded-In Deutsch Connector	Top	Lens	RGB	Blue	White		
23	0.9	10.2	0.4	38	1.5		●	●	SST	Frosted	●			●	51010
23	0.9	10.2	0.4	38	1.5		●	●	SST	Frosted			●	●	52010
23	0.9	10.2	0.4	38	1.5		●	●	SST	Frosted		●		●	53010


DESCRIPTION


Examples shown below use Molded-In Deutsch Connector.














Square Head

Courtesy Light

RDI PATENTED


RDI RESEARCH & DESIGN INNOVATIONS


INSTALLATION HOLE SIZE		WIDTH		HEIGHT		CONNECTION			MATERIAL		COLORS			WHITE UV-RES. GASKET	ID NO.
mm.	in.	mm.	in.	mm.	in.	Wire-90°	Wire Harness	Molded-In Deutsch Connector	Top	Lens	RGB	Blue	White		
23	0.9	7.6	0.3	25	1.0		●	●	SST	Clear	●			●	51011
23	0.9	7.6	0.3	25	1.0		●	●	SST	Clear			●	●	52011
23	0.9	7.6	0.3	25	1.0		●	●	SST	Clear		●		●	53011


DESCRIPTION


Examples shown below use Molded-In Deutsch Connector.














FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Opaque Live-Well

Courtesy Light


RESEARCH & DESIGN INNOVATIONS


INSTALLATION HOLE SIZE		WIDTH		HEIGHT		CONNECTION			MATERIAL		COLORS			WHITE UV-RES. GASKET	ID NO.
mm.	in.	mm.	in.	mm.	in.	Wire-90°	Wire Harness	Molded-In Deutsch Connector	Top	Lens	RGB	Blue	White		
23	0.9	10.2	0.4	38	1.5		●	●	Frosted	Frosted	●			●	51012
23	0.9	10.2	0.4	38	1.5		●	●	Frosted	Frosted			●	●	52012
23	0.9	10.2	0.4	38	1.5		●	●	Frosted	Frosted		●		●	53012


DESCRIPTION


Examples shown below use Molded-In Deutsch Connector.














FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Stainless Steel Telescoping Ladders

RESEARCH & DESIGN INNOVATIONS






TYPE		MATERIAL		TELESCOPING	BLACK MOLDED PLASTIC STEPS	ID NO.
3-Step	4-Step	304 SST	316 SST			
●		●		●	●	83163
	●	●		●	●	83170


DESCRIPTION

Custom designs and boat-to-ladder attachments are available to fit individual boat builder needs.

3-STEP LADDER




4-STEP LADDER



FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Stainless Steel Oval Grab Handles

RESEARCH & DESIGN INNOVATIONS



SIZE		MATERIAL		EXTRAS			ID NO.
mm.	in.	304 SST	316 SST	Studs	Nuts & Washers	LED Ring	
327.025	12.875		●	●			82930R
479.425	18.875		●	●			82931R
250.825	9.875	●		●			82939

DESCRIPTION

Custom designs and boat-to-ladder attachments are available to fit individual boat builder needs.

LED Rings

SIZE		LIGHT		ID NO.
mm.	in.	TYPE	COLOR	
NA	NA	LED	Blue	82450

NOTE: Sold in pairs.

Stainless Steel Rod Holders




ANGLE			MATERIAL		EXTRAS			ID NO.
0 Deg.	15 Deg.	30 Deg.	304 SST	316 SST	Black Insert	Plastic Drain	Cap	
		●		●	●			87523A
		●		●		●		87523WD
●				●			●	87527A
	●			●	●		●	87504-15


DESCRIPTION

Available in a variety of sizes.


0-DEGREE ROD HOLDER



15-DEGREE ROD HOLDER



30-DEGREE ROD HOLDER



Light Ring Mounts


PATENT PENDING


LED	ANGLE	LIGHT	ID NO.
●	NA	Blue	87539R

NOTE: Also available in RGB

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Lighted Stanchion Bases





	SHAPE	SIZE		LIGHT		ID NO.
		mm.	in.	TYPE	COLOR	
5 INCH 127 MM BASE	Round	127	5	LED	Blue	**90005.1**
	Round	127	5	LED	White	**90005.2**
	Round	127	5	LED	RGB	**90005.7**
		mm.	in.			
7 INCH 177.8 MM BASE	Round	177.8	7	LED	Blue	**90007.1**
	Round	177.8	7	LED	White	**90007.2**
	Round	177.8	7	LED	RGB	**90007.7**
	Square	177.8	7	LED	Blue	**91025**
	Square	177.8	7	LED	RGB	**91026**
		mm.	in.			
9 INCH 228.6 MM BASE	Round	228.6	9	LED	Blue	**90009.1**
	Round	228.6	9	LED	White	**90009.2**
	Round	228.6	9	LED	RGB	**90009.7**

*Table Stanchion Base with Deutsch Connector

Stainless Steel Cleats

Now Available with RDI's proprietary **Ultra Protective (U.P.) Coating Process**

RDI RESEARCH & DESIGN INNOVATIONS

SIZE										TYPE	DESCRIPTION	MATERIAL			STUD DEGREE	MAX OPENING FORCE	MAX CLOSING FORCE	ID NO.
Overall Length		Length of Mounting Stud		Below Deck Reqmt.		Distance btwn Mounting Points		Slide Protrusion Length				316 SST	U.P. Blackcoat	Other•				
mm	in	mm	in	mm	in	mm	in	mm	in									
152.4	6	45	1.77165	65	2.56	41.275	1.625	66	2.6	Pull Up	Polished and passivated SST Pull-Up Cleat	●	●	●	90° +/- .6°	13 N	11.9 N	**87003**
203.2	8	45	1.77165	65	2.56	41.275	1.625	66	2.6	Pull Up	Polished and passivated SST Pull-Up Cleat	●	●	●	90° +/- .6°	13 N	26.6 N	**87003**
152.4	6	NA	NA	NA	NA	46.0375	1.8125	NA	NA	Black Cleat	Studded Herreshoff-style Cleat	●	●	●		NA	NA	**41003**
203.2	8	NA	NA	NA	NA	46.0375	1.8125	NA	NA	Black Cleat	Studded Herreshoff-style Cleat	●	●	●		NA	NA	**41003**

•Other materials available for bulk orders

BLACK STUDDED HERRESHOFF-STYLE



POLISHED & PASSIVATED SST PULL-UP





FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Flexible Light Strip

PATENT PENDING

RESEARCH & DESIGN INNOVATIONS





SIZE								WIDTH		LIGHT COLORS			
Overall Length		Light Housing Length		Width		Height							
mm.	in.	mm.	in.	mm.	in.	mm.	in.	NARROW	WIDE	RGB	Blue	White	ID NO.
172.8	6.8	160.0	6.3	14.5	.57	10.80	.43	●		●			71006
328.8	12.94	316.0	12.44	14.5	.57	10.80	.43	●		●			71012
165.3	6.5	152.5	6.0	14.5	.57	10.80	.43	●				●	72006
317.8	12.51	305.0	12.0	14.5	.57	10.80	.43	●				●	72012
165.3	6.5	152.5	6.0	14.5	.57	10.80	.43	●			●		73006
317.8	12.51	305.0	12.0	14.5	.57	10.80	.43	●			●		73012
172.8	6.8	160.0	6.3	22	.87	12	.47		●	●			71106
328.8	12.94	316.0	12.44	22	.87	12	.47		●	●			71112
165.3	6.5	152.5	6.0	22	.87	12	.47		●			●	72106
317.8	12.51	305.0	12.0	22	.87	12	.47		●			●	72112
165.3	6.5	152.5	6.0	22	.87	12	.47		●		●		73106
317.8	12.51	305.0	12.0	22	.87	12	.47		●		●		73112
OPTIONAL INSTALLATION TRACK													
152.8	6.0	NA	NA	13.96	.40	13.0	.51	●		NA	NA	NA	70006
152.8	6.0	NA	NA	20,04	.79	15.30	.60		●	NA	NA	NA	70012

FOR MORE INFORMATION, PLEASE VISIT RDILLC.COM

Additional Accessories



ID NO.	DESCRIPTION
99999	Hollow Fastener. Both housing to secure electrical wires and also secures custom part.



ID NO.	DESCRIPTION
AT04-2P	Housing for single-color electrical termination



ID NO.	DESCRIPTION
AT04-4P	Housing for RGB electrical termination



ID NO.	DESCRIPTION
AT06-6S	Housing for RGBW and RGBWW electrical termination



ID NO.	DESCRIPTION
AT60-16-0622	Housing pins



ID NO.	DESCRIPTION
AT62-16-0622	Housing pins



ID NO.	DESCRIPTION
19035-0004	Snap plug